Studying the Evolution of Content Providers in the Internet Core

Esteban Carisimo, Carlos Selmo, J. Ignacio Alvarez-Hamelin, Amogh Dhamdhere











AS ecosystem mutation

NSFNET era (up to 1995)

Monolithic backbone

Transit era (late 1990s-2000s)

- Densely connected Transit Network
- Eyeballs and CPs on the edge
- Tiered model

Content era (2010s)

- Dominance of multimedia content
- CDNs
- Flat network



Irruption of IXPs and CDNs

- Deployment of CDNs
 - General-purpose CDNs
 - Ascension of private CDNs
 - Result: CPs densely connected (core)
- IXPs
 - Flattening the Internet
 - Let small ASes peer directly with large ASes
 - Co-location with CDNs
- IXPs+CDNs: Traffic impact
 - Reduction on Transit traffic
 - Peer-to-peer traffic



Motivations

Google and Netflix Make Land Grab On Edge Of Internet


Many of these deals are secret, but Deepfield Networks knows of about 40 companies that are setting up their own content delivery networks with service providers, according to Craig Labovitz. But he's bound by non-disclosure agreements, and can't name names.

Wired.June 2012

https://www.wired.com/2012/06/cdn/




Motivations



https://seekingalpha.com/article/3613736-apple-microsoft-facebook-bring-traffic-house-cdns-impacting-akamais-media-business



Motivations




https://blog.apnic.net/2016/10/28/the-death-of-transit/ https://labs.apnic.net/presentations/store/2017-05-25-death-of-transit.pdf



Do CPs belong to the core of the network?


- How to identify if they do? Who are they? Since when?
- Differences on cores by Region?
- How to detect "up and coming" CDNs?
- Correlate evolution of connectivity with welldocumented business practices






- Core of the network: Densely connected ASes
- How to know who they are: k-cores
- k-cores: *shell-index* given by
 - number AND degree of neighbors
















































k=3






k=3

Conclusion

If a node belongs to core k, it has k neighbors node who have at least degree k







TOPcore: The maximum core (k) in the graph under analysis



Dataset

- Data sources
 - CAIDA's publicly available data
 - BGP dumps
 - Routeviews
 - RIPE RIS
 - Ark Traceroute campaigns
- Details about dataset
 - Monthly snapshots of AS graph
 - Spans from 1999 to late 2017



Analyses

1. Core evolution of large CPs (*Big* Seven) throughout the years

2. Geographical differences on the core evolution

3. Other members of the core



Analyses

1. Core evolution of large CPs (*Big Seven*) throughout the years


2. Geographical differences on the core evolution


3. Other members of the core



Tracking the Big Seven







Based on traffic statistics

- Sandvine report
- PeeringDB records



Some caveats

CPs may have several ASNs


Focus on primaries


In-network caches

- Content is often served from caches on ISPs' address space
- However, peering links are necessary to
 - fill caches, serve dynamic content and serve ISPs that are unwilling to host a cache



Tracking the Big Seven oct-2006 oct-2016





85

:79

:73

43


:37

:31


:25

:19


:13













1. Release of DC in Northern California






- 1. Release of DC in Northern California
- 2. Overseas expansion (Brazil, Europe & Asia)






- 1. Release of DC in Northern California
- 2. Overseas expansion (Brazil, Europe & Asia)
- 3. Creation of WHOIS record for Amazon NS zone





- Reached TOPcore before YouTube acquisition in 2006
- No CDN back then, but peer with TIER-1s





- Major source of traffic in the US since 2011
- In 2012 Netflix moved from Akamai to its own CDN
- OCA rollout led to some legal disputes



Analyses

1. Core evolution of large CPs (*Big Seven*) throughout the years

2. Geographical differences on the core evolution

3. Other members of the core




Analyses


1. Core evolution of large CPs (*Big Seven*) throughout the years

2. Geographical differences on the core evolution

3. Other members of the core







Esteban Carisimo

Conclusions

- Large CPs deploy and run densely connected ASes
- Content is moving to private CDNs
- Match expansion of private CDNs with business strategies
- Create a website to allow users to look for other patterns



Website

Safari	Archivo	Edición	Visualizació	n Historial	Marcadores	Desarrollo	Ventana	Ayuda		(• *	÷	100% [½] •	Sáb 20:04	Q
• <							cnet.fi.uba	ar		く)) ひ				0	đ
	(Content Prov	iders toward	is the core of t	the network	Methodology	People								
			3V Download JSON												
		AS Number		t Name	AS Type	A Co	untry	From Th	=0.3	To Th.=0.9	A (Grow Mon	iths 🔺	1	
		AS31252		RNET-AS			MD	2009 / 7		2009 / 8	1				
		AS31283	FAST	THOST-AS			NO	2007 / 10		2008 / 4	6	6			
		AS31477	DUO	CAST-AS			NL	2007 / 10		2008 / 4	6	6			
		AS31500	GLO	BALNET-AS			RU	2007 / 10		2008 / 4	6	6			
		AS32934	FACE	EBOOK			US	2008 / 7		2009 / 5	1	10			
		AS33926	-Res	erved AS-			ZZ	2007 / 10		2008 / 10	1	12			
		AS34288	AS34	1288 EDU-ZG-CH			СН	2010/8		2011/1	5	5			
		AS34695	E4A-	AS			IT	2008 / 5		2008 / 8	3	3			
		AS35425	BYTE	EMARK-AS			GB	2010 / 7		2011/5	1	10			
		First Prev 1 2 Next Last													
			1.0				Core evolution for	M	MA_M	Δ			ASN 784 ASN 864		
			0.8		4				W			M			
			Normalized K-Con				N				, www.				
			0.2	M M		Aller									

Visit: htttp://cnet.fi.uba.ar/TMA2018



Thanks!

Questions?

